Far East American
American Heritage Birch

Available in 3/4" and 1/2" thickness.

U.S. sized in accordance with ANSI/HPVA HP-1-2009 standards.

48.5" x 96.5" standard dimensions.

Made with 1/50th" White Birch faces and backs.

Core veneers are dried to 8 - 12% MC in mechanical dryers.

The core is a combination of 100% machine joined and whole piece veneers. The platforms are calibrated prior to laying up the face and back.

All panels are CARB Phase 2 Certified.

The core is bonded using a Phenolic glue giving the panel a more secure bond.

PREMIUM AMERICAN HERITAGE PANELS			
THICKNESS	TYPE	WEIGHT	PANEL CONSTRUCTION
1/2"	Poplar Core	54 lbs.	5
3/4"	Poplar Core	69 lbs.	9

SPECIFICATIONS	
dimension:	48.5" x 96.5" / available in 48" x 96"
thickness:	1/2" and 3/4"
face/back:	1/50th" white birch
grade:	available in C-2 and D-2
glue:	WBP Phenolic core, CARB 2
tolerance:	minus 1/50th"/plus 1/100th"
moisture content:	8 - 12%

5410 McConnell Avenue • Los Angeles, CA 90066 • T 310-822-7771 F 310-822-2920

FEA
FAR EAST AMERICAN